

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6624761".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/10 16:02
L2	6	"6624761".pn. or "6309424".pn. or "6195024".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/10 16:02
L3	172	341/50,51,67,75,79.ccls. and (compress\$3 with data with types)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/10 16:02
L4	203	341/50,51,67,75,79.ccls. and (compress\$3 with (data near type\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/10 16:02
L5	20	341/50,51,67,75,79.ccls. and (compress\$3 with (data near type\$1 with identif\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/10 16:02
L6	20	341/50,51,67,75,79.ccls. and (compress\$3 with (data near type\$1 with identif\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/10 16:02
L7	3	((compression near methods) with highest with ratio)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/10 16:02
L8	4209431	select\$3 compression with method with highest with ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/10 16:02
L9	13	select\$3 with compression with method with highest with ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/10 16:02

EAST Search History

L10	2	"6147634".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/10 16:02
L11	2	"6288591".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/10 16:02
L12	2	"6624761".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/10 16:02
L13	607	((compres\$7 or encod\$3) with highest with ratio)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/10 16:02
L14	31	"341"/\$.ccls. and ((compres\$7 or encod\$3) with highest with ratio)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/10 16:02
L15	81	(determ\$7 or estimat or measur\$7) with (compres\$7 or encod\$3) with highest with ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/10 16:02
L16	98	(determ\$7 or estimat\$3 or measur\$7 or comput\$3 or calculat\$3) with (compres\$7 or encod\$3) with highest with ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/10 16:02
L17	91	L16 not L14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/10 16:02
L18	172	341/50,51,67,75,79.ccls. and (compress\$3 with data with types)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/10 16:02
L19	203	341/50,51,67,75,79.ccls. and (compress\$3 with (data near type\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/10 16:02

EAST Search History

L20	13	select\$3 with compression with method with highest with ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/10 16:02
L21	98	(determ\$7 or estimat\$3 or measur\$7 or comput\$3 or calculat\$3) with (compres\$7 or encod\$3) with highest with ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/10 16:02
L22	2	"6624761".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/10 16:35
L23	2	"6309424".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/10 16:36
L24	2	"6195024".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/10 16:36
S1	2	"6624761".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 12:58
S2	6	"6624761".pn. or "6309424".pn. or "6195024".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/04 10:28
S3	156	341/50,51,67,75,79.ccls. and (compress\$3 with data with types)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 07:34
S4	188	341/50,51,67,75,79.ccls. and (compress\$3 with (data near type\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 07:34

EAST Search History

S5	20	341/50,51,67,75,79.ccls. and (compress\$3 with (data near type\$1 with identif\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/04 10:46
S6	20	341/50,51,67,75,79.ccls. and (compress\$3 with (data near type\$1 with identif\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/04 10:46
S7	2	((compression near methods) with highest with ratio)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 13:08
S8	3733389	select\$3 compression with method with highest with ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 13:25
S9	10	select\$3 with compression with method with highest with ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 07:34
S10	2	"6147634".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 12:59
S11	2	"6288591".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 12:59
S12	2	"6624761".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:31
S13	567	((compres\$7 or encod\$3) with highest with ratio)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 13:21
S14	30	"341"/\$.ccls. and ((compres\$7 or encod\$3) with highest with ratio)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 13:09

EAST Search History

S15	75	(determ\$7 or estimat or measur\$7) with (compres\$7 or encod\$3) with highest with ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 13:22
S16	91	(determ\$7 or estimat\$3 or measur\$7 or comput\$3 or calculat\$3) with (compres\$7 or encod\$3) with highest with ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 07:35
S17	84	S16 not S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 13:23
S18	167	341/50,51,67,75,79.ccls. and (compress\$3 with data with types)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 07:34
S19	199	341/50,51,67,75,79.ccls. and (compress\$3 with (data near type\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 07:34
S20	11	select\$3 with compression with method with highest with ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 07:34
S21	91	(determ\$7 or estimat\$3 or measur\$7 or comput\$3 or calculat\$3) with (compres\$7 or encod\$3) with highest with ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 13:55